



Proteção da cabeça

AIR COLTAN Amarelo fluorescente-Cinzent

BONÉS ANTI-CHOQUE

Boné de proteção arejado para máximo conforto, disponível com 3 comprimentos de pala



Aplicação

- Acabamento / artesãos
- Manutenção
- Automotivo
- Trabalho temporário
- Serviços públicos

Certificações e normas



EN 812



Proteção da cabeça

AIR COLTAN Amarelo fluorescente-Cinzeno

BONÉS ANTI-CHOQUE

Boné de proteção arejado para máximo conforto, disponível com 3 comprimentos de pala

Detalhes - Normas

Detalhes técnicos

Tipo de produto	Boné anti-choque
Material do capacete	Polietileno
Forro do capacete	EVA
Circunferência da cabeça	55-62 cm
Cor principal	Amarelo
Pala do boné	Norma
Ajustamento	Aba de fixação
Logótipo personalizável	indisponível
Peso	176 g
Cores incluídas	Yellow, Grey



AIR COLTAN

BUMP CAP

Ventilated protective cap for maximum comfort, available in 3 visor lengths

Head protection

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
COLTAAINOLG	Black-Red	Adjustable-long peak	AIR COLTAN	3295249195151	13295249195158	20	1	4.85 kg	42.0 cm	36.0 cm	29.0 cm
COLTAAINOMI	Black-Red	Adjustable-micro peak	AIR COLTAN	3295249195182	13295249195189	20	1	5.4 kg	42.0 cm	36.0 cm	29.0 cm
COLTAAINOSH	Black-Red	Adjustable-short peak	AIR COLTAN	3295249195175	13295249195172	20	1	5.4 kg	41.0 cm	36.0 cm	29.0 cm
COLTAAIJAFI	Fluorescent yellow-Grey	Adjustable-long peak	AIR COLTAN	3295249168834	13295249168831	20	1	4.8 kg	37.6 cm	54.4 cm	32.6 cm
COLTAAIGR	Grey-Yellow	Adjustable-long peak	AIR COLTAN	3295249140571	13295249140578	20	1	4.9 kg	37.4 cm	55.0 cm	32.6 cm
COLTAAIGRMI	Grey-Yellow	Adjustable-micro peak	AIR COLTAN	3295249195205	13295249195202	20	1	4.5 kg	37.6 cm	55.4 cm	32.0 cm
COLTAAIBM	Navy blue-Orange	Adjustable-long peak	AIR COLTAN	3295249140588	13295249140585	20	1	5.4 kg	36.0 cm	48.0 cm	31.0 cm
COLTAAIBMSH	Navy blue-Orange	Adjustable-short peak	AIR COLTAN	3295249195199	13295249195196	20	1	4.5 kg	55.0 cm	37.0 cm	33.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height