



Hand protection

VE730

WORKS IN WET ENVIRONMENT

Mechanical glove with a very good grip owing to its crinkle coating, ideal for dry and wet environments



Applications

- Agriculture
- Public Works
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Temporary Work

Certifications and norms



EN 388
2142X



Hand protection

VE730

WORKS IN WET ENVIRONMENT

Mechanical glove with a very good grip owing to its crinkle coating, ideal for dry and wet environments

Standards - Details



EN388:2016+A1:2018

2 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
4 [0-4] TEAR RESISTANCE
2 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical Glove Type	Tricot
Coating material and finition	Grip Textured Latex
Coating Level	Palm Coating
Number of Coatings	Single Coated
Gauge	10
Benefits element	Reach, Azo Free
Color	Yellow-orange
Size	8, 9, 10, 11
Type of conditioning	in individual bags








Safety gloves

VE730

WORKS IN WET ENVIRONMENT

Mechanical glove with a very good grip owing to its crinkle coating, ideal for dry and wet environments

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VE730OR08	Yellow-orange	08	VE730	3295249023935	13295249023932	120	12	10.4 kg	25.6 cm	58.0 cm	33.2 cm
VE730OR09	Yellow-orange	09	VE730	3295249023928	13295249023925	120	12	11.0 kg	60.0 cm	26.0 cm	32.0 cm
VE730OR10	Yellow-orange	10	VE730	3295249023911	13295249023918	120	12	12.2 kg	26.6 cm	61.4 cm	33.2 cm
VE730OR11	Yellow-orange	11	VE730	3295249216191	13295249216198	120	12	12.9 kg	27.0 cm	62.2 cm	35.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height