

## **VE727**

#### **WORKS IN OILY ENVIRONMENT**

Mechanical glove, with good properties for working and grip in oily conditions



## **Certifications and norms**





### **Risk Protection**



# **Specific benefits**



### Hygiene

· Nitrile means no risk of allergies for users



#### **Performance**

·The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle

## **Applications**

- Public Works
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Automotive
- Mining







# **VE727**

### **WORKS IN OILY ENVIRONMENT**

Mechanical glove, with good properties for working and grip in oily conditions

### **Standards - Details**



#### EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE

1 [0-4] ABRASION RESISTANCE 1 [0-5] CUT RESISTANCE 3 [0-4] TEAR RESISTANCE 1 [0-4] PIERCE RESISTANCE A [A-F] CUT RESISTANCE ISO 13997

### **Technical details**

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical Glove Type	Tricot
Coating material and finition	Smooth Aqua Polymer
Coating Level	Palm Coating
Number of Coatings	Single Coated
Dots material	Nitrile Dots
Gauge	15
Benefits element	Vendor pack
Color	Gray-Black
Size	7, 8, 9, 10
Type of conditioning	in individual bags







# **VE727**

### **WORKS IN OILY ENVIRONMENT**

Mechanical glove, with good properties for working and grip in oily conditions

# Logistics information

Reference	Colour	Size	Designation	EAN13	Box code		<b>Å</b>	Weight			
VE727NO07	Grey-Black	07	VE727	3295249178390	13295249178397	120	12	5.43 kg	42.0 cm	27.0 cm	32.0 cm
VE727NO08	Grey-Black	08	VE727	3295249178406	13295249178403	120	12	6.08 kg	42.0 cm	27.0 cm	32.0 cm
VE727NO09	Grey-Black	09	VE727	3295249178413	13295249178410	120	12	6.74 kg	42.0 cm	27.0 cm	32.0 cm
VE727NO10	Grey-Black	10	VE727	3295249178420	13295249178427	120	12	7.17 kg	27.0 cm	42.0 cm	32.0 cm
VE727NO11	Grey-Black	11	VE727	3295249198039	13295249198036	2	1	0.0 kg	0.0 cm	0.0 cm	0.0 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height