



PRO5 S4 White-Red

INDUSTRY-CONSTRUCTION & CIVIL ENGINEERING

Foot protection



Specific benefits



Comfort

- Comfortable light and soft EVA foam insole



Performance

- Sanitized® protection that reduces the proliferation of fungi and bacteria, providing greater freshness to the user.
- Greater chemical resistance thanks to its high-performance sole.



Easy to use

- Multitrack non-slip sole, oil resistant.

Technologies and labels



SANITIZED®

Applications

- Agriculture
- Fishing
- Public Works
- Building
- Finishing Works/Craftsmanship
- Manufacturing/Transformation

Certifications and norms



ASTM F2413

ASTM F2413-18 I/75, C/75



PRO5 S4 White-Red

INDUSTRY-CONSTRUCTION & CIVIL ENGINEERING

Foot protection

Standards - Details

Technical details

Type of Shoe	Boot
Upper material and finition	PVC
Upper height size 42 (cm)	40
Safety toe-cap	Stainless steel
Lining material	Textile
Footbed material	EVA
Footbed characteristic	Removable
Outsole material	Nitrile
Outsole finition	Injected
Weight (g per shoe)	1100
Size range	23 → 32








PRO5 S4

INDUSTRY-CONSTRUCTION & CIVIL ENGINEERING

Safety footwear

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
WMXP5S4NR23	Black-Red	23	PRO5 S4	7502260641588	7502260641588	10	1	19.156 kg	49.0 cm	49.0 cm	39.0 cm
WMXP5S4NR24	Black-Red	24	PRO5 S4	7502260640499	7502260640499	10	1	19.156 kg	49.0 cm	49.0 cm	39.0 cm
WMXP5S4NR25	Black-Red	25	PRO5 S4	7502260640505	7502260640505	10	1	19.896 kg	49.0 cm	49.0 cm	39.0 cm
WMXP5S4NR26	Black-Red	26	PRO5 S4	7502260640512	7502260640512	10	1	20.696 kg	49.0 cm	49.0 cm	39.0 cm
WMXP5S4NR27	Black-Red	27	PRO5 S4	7502260640529	7502260640529	10	1	21.476 kg	49.0 cm	49.0 cm	39.0 cm
WMXP5S4NR28	Black-Red	28	PRO5 S4	7502260640536	7502260640536	10	1	22.09 kg	49.0 cm	49.0 cm	44.0 cm
WMXP5S4NR29	Black-Red	29	PRO5 S4	7502260640543	7502260640543	10	1	22.83 kg	49.0 cm	49.0 cm	44.0 cm
WMXP5S4NR30	Black-Red	30	PRO5 S4	7502260640550	7502260640550	10	1	24.41 kg	49.0 cm	49.0 cm	44.0 cm
WMXP5S4NR31	Black-Red	31	PRO5 S4	7502260641595	7502260641595	10	1	26.77 kg	49.0 cm	49.0 cm	44.0 cm
WMXP5S4NR32	Black-Red	32	PRO5 S4	7502260643582	7502260643582	10	1	28.57 kg	49.0 cm	49.0 cm	44.0 cm
WMXP5S4NR33	Black-Red	33	PRO5 S4	7502260643599	7502260643599	10	1	27.17 kg	49.0 cm	49.0 cm	44.0 cm
WMXP5S4BR23	White-Red	23	PRO5 S4	7502260641496	7502260641496	10	1	19.156 kg	49.0 cm	49.0 cm	39.0 cm
WMXP5S4BR24	White-Red	24	PRO5 S4	7502260640703	7502260640703	10	1	19.156 kg	49.0 cm	49.0 cm	39.0 cm
WMXP5S4BR25	White-Red	25	PRO5 S4	7502260640710	7502260640710	10	1	19.896 kg	49.0 cm	49.0 cm	39.0 cm
WMXP5S4BR26	White-Red	26	PRO5 S4	7502260640727	7502260640727	10	1	20.696 kg	49.0 cm	49.0 cm	39.0 cm
WMXP5S4BR27	White-Red	27	PRO5 S4	7502260640734	7502260640734	10	1	21.476 kg	49.0 cm	49.0 cm	39.0 cm
WMXP5S4BR28	White-Red	28	PRO5 S4	7502260640741	7502260640741	10	1	22.09 kg	49.0 cm	49.0 cm	44.0 cm
WMXP5S4BR29	White-Red	29	PRO5 S4	7502260640758	7502260640758	10	1	22.83 kg	49.0 cm	49.0 cm	44.0 cm
WMXP5S4BR30	White-Red	30	PRO5 S4	7502260640765	7502260640765	10	1	24.41 kg	49.0 cm	49.0 cm	44.0 cm
WMXP5S4BR31	White-Red	31	PRO5 S4	7502260641502	7502260641502	10	1	26.77 kg	49.0 cm	49.0 cm	44.0 cm
WMXP5S4BR32	White-Red	32	PRO5 S4	7502260645197	7502260645197	10	1	28.57 kg	49.0 cm	49.0 cm	44.0 cm
WMXP5S4BR33	White-Red	32	PRO5 S4	7502260000026	17502260000023	2	1	0.0 kg	0.0 cm	0.0 cm	0.0 cm



PRO5 S4

INDUSTRY-CONSTRUCTION & CIVIL ENGINEERING

Safety footwear

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height